

No. TX B310-022-14 0102

Name and address Süther & Schön GmbH

of manufacturer: Bonifaciusring 18,45309 Essen, Germany

Type of product: Rope terminations

Name of product: 14,52

Product

configuration: See the annex

Number of type

tests report: TX B310-022-14 0102

Certificate issued

on the basis of the GB 7588-2003

requirements: EN 81-1:1998

The certificate covers the following scope (The product shall be configured as the annex)

Name of product: 14,52

Date of submission: 2014-12-09

Shanghai Jiao Tong University Elevator Test Center

Note: 1. This certificate is used to confirm the type of product with definite scope and only responsible for the test result of the sample.

- 2. The owner of this certificate is responsible for confirming that the products comply with their standard specifications and are in accordance with the sample for type examination.
- 3. Period of validity of this certificate is always calculated from the date of submission even if the certificate is modified.

Annex:

Product configuration table

No. TX B310-022-14 0102

Applicative environment	Normal indoor	Configuration Self-Locking model Wedge Type
Steel rope nominal diameter(mm)	Ф11	Steel rope breaking load in 80% (kN)*

Note:*The tested result of breaking load is 75.39kN.







Special Equipment Type Tests Report

No: TX B310-022-14 0102

Equipment kind: _	Main components
Equipment type:	Rope terminations
Product name: _	Rope terminations
Product type:	14,52
Applicant: Ningbo	o Suether& Schoen Lifting Equipment Co., Ltc
Manufacturer:	Süther & Schön GmbH

地大地

Shanghai Jiao Tong University Elevator Test Center



Type Tests Report

No: TX B310-022-14 0102

Page 1 of 2

Product name	Rope terminations		Product type	14,52		
Serial number	12-13-W005		Date of manufactur completion	2014-08-10		
Products covered	/					
	Name	Ningbo Suether& Schoen Lifting Equipment Co., Ltd.				
Applicant	Address	No.199th GuiAn South roads, Guangming villiage, Zhenghai district, Ningbo, China				
Manufacturer	Name	Süther & Schön GmbH				
	Address	Bonifaciusring 18,45309 Essen, Germany				
Main design specification	Configura	ition model	Self-Locking Wedge Type			
	Steel rope nominal diameter(mm)		Ф11			
	Steel rop 80%(kN)	be breaking load in	breaking load in 42.56			
	Applicativ	ive environment Normal indoor				
Test place	Shanghai Jiaotong University Elevator Test Center					
Date of testing	2014-12-01		Kind of testing	Type test		
Product status & test conditions	ОК		Examination items	All suitable items		
Test rules	GB 7588-2003、EN 81-1:1998					
Test conclusion	Type tests	passed				
Compiler: 34 32,		Approved certificate serial number:				
Verifier: \$\frac{1}{2}A^2			Shanghai Jiao Tong University Elevator Test Center			
Approver:			date of issue: 2014 - 12 - 09			



Type Tests Report

No: TX B310-022-14 0102

Page 2 of 2

1. Technical documents review

No.	Item number	Review item		Conclusion
1	W2.1	Calculations	Pass	OK
2	W2.2	Product structure data	Pass	ОК
3	W2.3	Others	Inapplicability	/

2. Test items, result and conclusion

No.	Item number	Test item	Result	Conclusion
1	W3.1	The junction shall be able to resist at least 80% at the minimum breaking load on the rope (42.56kN)	75.39kN	ОК

Annex:

1. Photograph of the sample



